


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)


Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 06 Jan 2026

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES			
FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,770	20
10453	1.0	2,260	20
10454	1.5	3,415	12
10455	2.5	5,500	12
10456	4.0	8,205	8
10457	6.0	12,260	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES			
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,665	20
10303	1.0	2,290	20
10304	1.5	3,365	12
10305	2.5	5,365	12
10306	4.0	7,880	8
10307	6.0	11,800	4

Flame Retardant (FR) PVC Insulated Industrial Cables



SILVER PACK

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,640	20
10303	1.0	2,060	20
10304	1.5	3,075	12
10305	2.5	4,970	12
10306	4.0	7,610	8
10307	6.0	11,485	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	3,135	8
10313	1.0	4,070	8
10314	1.5	5,945	6
10315	2.5	9,645	4
10306016	4.0	14,990	4
10307016	6.0	22,565	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	1,050	30
10314	1.5	1,535	24
10315	2.5	2,490	24
10316	4.0	3,870	12
10317	6.0	5,815	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10312017	0.75	5,225	8
10313017	1.0	6,785	8
10314017	1.5	9,910	6
10315017	2.5	16,075	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10306015	4.0	16,655	4
10307015	6.0	25,070	4

Flamegard

Flame Retardant

Low Smoke(FR-LSH)



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,675	20
10113	1.0	2,175	20
10114	1.5	3,155	12
10115	2.5	5,060	12
10106	4.0	7,860	8
10107	6.0	11,760	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	3,165	8
10113016	1.0	4,110	8
10114016	1.5	6,005	6
10115016	2.5	9,740	4
10106016	4.0	15,125	4
10107016	6.0	22,735	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
COLOURS : Finolex cables are available in five common colours: Red,Yellow, Blue, Black & Green.

List Price wef. 06 Jan 2026



Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,720	20
10403	1.0	2,215	20
10404	1.5	3,230	12
10405	2.5	5,215	12
10406	4.0	8,055	8
10407	6.0	12,055	4



Flexible Cables

List Price wef. 06 Jan 2026

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,195	1,225
14002	0.75	1,725	1,770
14003	1.00	2,225	2,280
14104	1.50	3,265	3,345
14105	2.50	5,315	5,450
14206	4.00	8,225	8,430

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	12,330	12,640
14208	10	21,365	21,900
14209	16	33,680	34,520
14210	25	52,655	53,970
14211	35	73,535	75,375
14212	50	104,265	106,870
14513	70	151,960	155,760
14514	95*	200,985	206,010
14515	120*	258,135	264,590
14516	150*	319,690	327,680
14517	185*	395,125	405,005
14518	240*	519,515	532,505

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE							
FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010							
TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	2,995	3150	17102	1.5	7,210	7390
17002	0.75	4,150	4325	17102	2.5	11,740	12035
17002	1.00	5,220	5400	17202	4	18,450	18910

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathedwith PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	4,135	4300	17103	1.5	10,280	10535
17003	0.75	5,770	5915	17103	2.5	16,615	17030
17003	1.00	7,330	7515	17203	4	26,400	27060

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	5,320	5,480	17104	1.5	13,565	13,905
17004	0.75	7,435	7,620	17104	2.5	22,175	22,730
17004	1.00	9,480	9,715	17204	4	34,765	35,635

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colourand Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	7,935	8135	17106	1.5	20,560	21075
17006	0.75	11,250	11530	17106	2.5	33,290	34120
17006	1.00	14,655	15020	17206	4	52,410	53720

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	9,285	9515	17108	1.50	23,560	24150
17008	0.75	13,110	13440	17108	2.50	38,865	39835
17008	1.00	16,825	17245	17208	4.00	60,745	62265

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	10,300	10555	17108	1.50	27,065	27740
17008	0.75	14,660	15025	17108	2.50	43,775	44870
17008	1.00	18,885	19355	17208	4.00	69,345	71080

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	12,885	13,205	17110	1.50	33,595	34435
17010	0.75	18,465	18,925	17110	2.50	54,690	56055
17010	1.00	23,625	24,215	17210	4.00	86,160	88315

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	15,180	15,560	17112	1.50	40,220	41225
17012	0.75	22,200	22,755	17112	2.50	65,110	66740
17012	1.00	28,335	29,045	17212	4.00	102,985	105560

FOURTEEN CORES (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	17,115	17,545	17114	1.50	46,825	47995
17014	0.75	24,700	25,315	17114	2.50	75,645	77535
17014	1.00	32,820	33,640	17214	4.00	119,720	122715

SIXTEEN CORES (8+11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	19,660	20,150	17116	1.50	52,555	53870
17016	0.75	28,260	28,965	17116	2.50	86,205	88360
17016	1.00	36,585	37,500	17216	4.00	136,950	140375

NINETEEN CORES (1+6+12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	23,410	23,995	17119	1.5	62,170	63725
17019	0.75	34,170	35,025	17119	2.5	101,620	104160
17019	1.00	43,295	44,375	17219	4	161,890	165935

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	39,305	40,290	17203124	50*	325,275	333405
17203084	10	66,880	68,550	17503134	70*	461,670	473210
17203094	16*	104,500	107,110	17503144	95*	609,350	624585
17203104	25*	161,830	165,875	17503154	120*	814,010	834360
17203114	35*	227,115	232,795				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	51,405	52,690	17204124	50*	428,175	438880
17204084	10	87,975	90,175	17504134	70*	611,725	627020
17204094	16*	136,655	140,070	17504144	95*	808,520	828735
17204104	25*	214,610	219,975	17504154	120*	1,057,030	1083455
17204114	35*	300,480	307,990				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

Finolex



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	2,180	6,649
RG 6 CU	3,050	9,303
RG 11 CU	6,980	21,289

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,740	5,307
RG 11 CCS	3,530	10,767

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	90 m coil
	List Price (Rs.)
RG 6 CCS Eco Lite	1,145

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,960	12078

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,910
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	13,251
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,295
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	14,555
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,910
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	16,639
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	2,205
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	4,355
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,500
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	4,930
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,520
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,990
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,825
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	5,580

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	1,060	31050103	10 pair	9,460
31050023	2 pair	1,910	31050203	20 pair	18,030
31050033	3 pair	2,795	31050503	50 pair	44,295
31050043	4 pair	3,695	31051001	100 pair	85,730
31050053	5 pair	4,610			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	720	31040103	10 pair	6,505
31040023	2 pair	1,330	31040203	20 pair	12,155
31040033	3 pair	1,930	31040503	50 pair	30,430
31040043	4 pair	2,490	31041001	100 pair	56,350
31040053	5 pair	3,070			

Standard Length of coif is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 06 Jan 2026



LAN Cable


Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	12,055
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	15,145
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	15,145
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	15,145
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	15,145
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	7,500
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	4,755
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	10,200
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	20,585
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	4,710
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	17,890
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	23,800
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	14,365
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	14,365
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	14,365
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	14,365



Speaker Cable

List Price wef. 06 Jan 2026

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,405
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	3,505
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	4,295
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	6,490
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	10,130
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	10,795
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	600
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	875
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	1,075
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,625



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables



3 Core Flat Cable

3 CORE FLAT CABLE					
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010					

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.5	10565	13803101	25	158035
13713051	2.5	16560	13803111	35	219580
13703061	4	25155	13803121*	50	Prices for these sizes can be given on request.
13803071	6	37140	13803131*	70	
13803081	10	64120	13803141*	95	
13803091	16	101065			

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS					
--	--	--	--	--	--

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.5	11095	13823069	4	26415
13863059	2.5	17390			

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS					
---	--	--	--	--	--

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6	38995	13823109	25	165935
13823089	10	67325	13823119	35	230560
13823099	16	106120			

3 CORE FLAT CCA CABLES							
FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	21535	13853109	36	354/.36	84155
13853089	14	140/.36	35910	13853119	50	594/.36	116835
13853099	23	226/.36	57105				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 06 Jan 2026




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	675	1000	6
13000602	0.60	675	500	6
13000701	0.70	920	1000	6
13000702	0.70	920	500	6
13000801	0.80	1,260	1000	6
13000802	0.80	1,260	500	6
13000901	0.90	1,545	1000	5
13000902	0.90	1,545	500	6
13001001	1.00	1,885	1000	5
13001002	1.00	1,885	500	6
13001101	1.10	2,280	1000	4
13001102	1.10	2,280	500	6
13001201	1.20	2,685	1000	4
13001202	1.20	2,685	500	6
13001301	1.30	3,130	1000	3
13001302	1.30	3,130	500	6
13001402	1.40	3,640	500	5
13001502	1.50	4,170	500	5
13001602	1.60	4,735	500	4
13001702	1.70	5,325	500	4
13001802	1.80	5,995	500	4
13001902	1.90	6,620	500	3
13002002	2.00	7,410	500	3
13002102	2.10	8,120	500	3
13002202	2.20	8,895	500	2
13002302	2.30	9,700	500	2
13002402	2.40	10,560	500	2
13002502	2.50	11,470	500	2
13002602	2.60	12,390	500	2
13002702	2.70	13,355	500	2
13002804	2.80*	14,245	250	2
13003004	3.00*	16,330	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request.
Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

Finolex



Automobile / Solar Power



High thermal rating
to withstand
extreme temperatures



Excellent
resistant to
heat pressure



Long life &
highly durable
cables

Auto Battery Cables

List Price wef. 06 Jan 2026



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	8,350	33,370
22210	354/.3	25	13,050	52,190
22211	495/.3	35	18,235	72,955
22212	703/.3	50	25,865	103,455
22513	360/.5	70	37,750	151,015
22514	475/.5.*	95	49,900	199,610
22515	608/.5.*	120	64,125	256,490
22516	750/.5.*	150	79,415	317,665
22517	925/.5.*	185	98,195	392,790
22518	1221/.5.*	240	129,165	516,655

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	1000	3,995

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	285	1,135
2302	24/.21	0.75	430	1,700
2303	32/.21	1.00	570	2,265
2304	30/.26	1.50	835	3,330
2305	50/.26	2.50	1,385	5,530
2306	56/.31	4.00	2,295	9,175
2307	84/.31	6.00	3,415	13,640

Solar Cables

List Price wef. 06 Jan 2026



SOLAR DC CABLE		
FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.		
**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	5,265
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	5,265
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	7,765
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	7,765
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	11,455
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	11,455

Solar Nova		
**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	5,130
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	7,465
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	11,315
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	20,970

NOTES

- Prices
GST extra as applicable.
- Printing
Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery
F.O.R. any station in India by road transport.
- Product Code
The full product code is of 8 digits. For example :
22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
225 represents Auto Cable IS specifications for 0.5 conductor.
b) Next two digits represent size in Sqmm. i.e. 09=16.0, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.

Visit us at: www.finolex.com | [f](#) /Finolexcables | [t](#) /Finolexcables | [i](#) /Finolex.Cables



For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | Bengaluru: 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | Chennai: 044-28269322 /
28231514 | Chandigarh: 0172-4064047 | Cochin: 9388689870 |
Coimbatore: 0422-2330997 | Dharwad: 8382748440 | Goa: 8322782003 /
2782065 | Gurgaon: 9896763770 | Guwahati: 9864027312 / 8135029423
| Indore: 7314911723 | Jaipur: 9829111411 | Kolkata: 033-24192494 /
24192495 | Lucknow: 052-24035031 | Mumbai: 022-22820062 | New
Delhi: 011-23324748 / 23353100 | Patna: 9934107999 | Pune:
020-27506200 | Raipur: 7008336581 | Ranchi: 8101383841 |
Secunderabad: 040-27811161 | Uttarakhand: 9760045003 | Vadodara:
9879555568 | Vijayawada: 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.