

Wires and Cables

Maximum Retail Prices for Wires and Cables
Effective from 01.06.2026

General Terms :

All prices are on maximum retail price basis.

This price list supersedes all our earlier price lists and subject to change without notice
Orders will be accepted only in multiple quantities of Standard Packing

**(A) FR PVC Insulated Single Core Unsheathed with Multistrand bare Copper Conductor.
Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.**

(i) FR 90 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (₹)	Standard Packages (No. of Units)
WH00007P*A0.	7	0.75	24/0.2	2860	20
WH00010P*A0.	11	1.00	14/0.3	3810	16
WH00015P*A0.	14	1.50	22/0.3	5570	10
WH00025P*A0.	19	2.50	36/0.3	9050	8
WH00040P*A0.	26	4.00	56/0.3	13300	5
WH00060P*A0.	31	6.00	84/0.3	20250	4
WH00100P*A0.	45	10.00	80/0.4	34700	1
WH00160P*A0.	60	16.00	126/0.4	53800	1

(ii) FR 180 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	180 Meters Unit Price (₹)	Standard Packages (No. of Units)
WH00010P*AJ.	11	1.00	14/0.3	7600	8
WH00015P*AJ.	14	1.50	22/0.3	11050	6
WH00025P*AJ.	19	2.50	36/0.3	18000	4
WH00040P*AJ.	26	4.00	56/0.3	26500	3
WH00060P*AJ.	31	6.00	84/0.3	40200	2

*** - Color of Insulation**

A - Red

C - Blue

E - Black

T - White

B - Yellow

D - Green

F - Gray

Wires and Cables

(B) Flame Retardant Low Smoke (FRLS) PVC Insulated Single Core Unsheathed with Multistrand bare Copper Conductor.
Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

(i) FRLS 90 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (₹)	Standard Packages (No. of Units)
WH00010S*A0.	11	1.00	14/0.3	4100	16
WH00015S*A0.	14	1.50	22/0.3	5950	10
WH00025S*A0.	19	2.50	36/0.3	9550	8
WH00040S*A0.	26	4.00	56/0.3	14000	5
WH00060S*A0.	31	6.00	84/0.3	21050	4
WH00100S*A0.	45	10.00	80/0.4	36300	1
WH00160S*A0.	60	16.00	126/0.4	55900	1

(ii) FRLS 180 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	180 Meters Unit Price (₹)	Standard Packages (No. of Units)
WH00010S*AJ.	11	1.00	14/0.3	8150	8
WH00015S*AJ.	14	1.50	22/0.3	11800	6
WH00025S*AJ.	19	2.50	36/0.3	18900	4
WH00040S*AJ.	26	4.00	56/0.3	27800	3
WH00060S*AJ.	31	6.00	84/0.3	41900	2

* - Color of Insulation

A - Red	C - Blue	E - Black	T - White
B - Yellow	D - Green	F - Gray	

Wires and Cables

(C) FLEXIBLE CABLES : TYPE "SAFE & SURE"

PVC Insulated Single Core Unsheathed with Multistrand Bright Annealed bare Copper Conductor.

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

(i) Flexible - Single core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (₹)	Standard Packages (No. of Units)
WF00005P*A0.	04	0.50	16/0.20	2420	24
WF00007P*A0.	07	0.75	24/0.20	3350	24
WF00010P*A0.	11	1.00	32/0.20	4200	16
WF00015P*A0.	14	1.50	30/0.25	6010	10
WF00025P*A0.	19	2.50	50/0.25	9900	8
WF00040P*A0.	26	4.00	56/0.30	15150	5
WF00060P*A0.	33	6.00	84/0.3	23050	4
WF00100P*A0.	45	10.00	80/0.4	40000	1
WF00160P*A0.	60	16.00	126/0.4	61800	1
WF00250P*A0.	75	25.00	196/0.4	96500	1
WF00350P*A0.	95	35.00	276/0.4	135000	1
WF00500P*A0.	125	50.00	396/0.4	193000	1
WF00700P*A0.	170	70.00	354/0.5	270000	1
WF00950P*A0.	210	95.00	484/0.5	363000	1
WF01200P*A0.	235	120.00	608/0.5	459000	1
WF01500P*A0.	295	150.00	750/0.5	574000	1
WF01850P*A0.	330	185.00	925/0.5	713000	1
WF02400P*A0.	400	240.00	1210/0.5	927000	1
WF03000P*A0.	475	300.00	1527/0.5	1160000	1

* - Color of Insulation

A - Red

C - Blue

E - Black

T - White

B - Yellow

D - Green

F - Gray

Wires and Cables

(ii) Flexible - Two core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (₹)	Standard Packages (No. of Units)
WF00005P*B0.	4	0.50	16/0.20	7200	1
WF00007P*B0.	7	0.75	24/0.20	9200	1
WF00010P*B0.	11	1.00	32/0.20	11150	1
WF00015P*B0.	14	1.50	30/0.25	15200	1
WF00025P*B0.	19	2.50	50/0.25	24250	1
WF00040P*B0.	26	4.00	56/0.30	37000	1
WF00060P*B0.	33	6.00	84/0.30	54100	1
WF00100P*B0.	42	10.00	80/0.40	92400	1

(iii) Flexible - Three core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (₹)	Standard Packages (No. of Units)
WF00005P*C0.	4	0.50	16/0.20	9700	1
WF00007P*C0.	7	0.75	24/0.20	13200	1
WF00010P*C0.	11	1.00	32/0.20	15300	1
WF00015P*C0.	14	1.50	30/0.25	20800	1
WF00025P*C0.	19	2.50	50/0.25	33500	1
WF00040P*C0.	26	4.00	56/0.30	51600	1
WF00060P*C0.	33	6.00	84/0.30	76700	1
WF00100P*C0.	42	10.00	80/0.40	133000	1
WF00160P*C0.	60	16.00	126/0.4	202000	1

Wires and Cables

(iv) Flexible - Four core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (₹)	Standard Packages (No. of Units)
WF00005P*D0.	4	0.50	16/0.20	12000	1
WF00007P*D0.	7	0.75	24/0.20	15950	1
WF00010P*D0.	11	1.00	32/0.20	19850	1
WF00015P*D0.	14	1.50	30/0.25	27000	1
WF00025P*D0.	19	2.50	50/0.25	44600	1
WF00040P*D0.	26	4.00	56/0.30	67500	1
WF00060P*D0.	33	6.00	84/0.30	103000	1
WF00100P*D0.	42	10.00	80/0.40	177000	1
WF00160P*D0.	60	16.00	126/0.4	267000	1

* - Color of Insulation

A - Red	C - Blue	E - Black	T - White
B - Yellow	D - Green	F - Gray	

For Flat Cable Cat Nos. & prices, please refer Submersible Flat Cable Price List

Note:

- › For all Wires & Cables mentioned in this Price List, **HSN code: 8544**,
(GST is subject to changes as per Govt. notification)
- › For warranty policy, please refer Electrical Standard Products Price List